

Zakład Remontowo-Montażowy Maszyn i Urządzeń Przemysłu Spożywczego

mgr inż. Ireneusz STAWIANY








PL 83-000 Pruszcz Gdański, ul. Gdyńska 5

tel./fax: 0-048 58 682-15-75,



kuba@stawiany.pl
www.stawiany.pl

Auto Collision Repair System Bench RN-300

Remark	Picture	Name	Units
standard		Platform(including feet and lift parts)	1
standard		tilt- lift	1
Standard		Tower (include Top Bar)	1
Standard		Electricity and pneumatic control cabinet	1
Standard		Enerpac Pump(include oil pipe and tie-in)	1
Standard		PTP measuring system	1
Standard		Lifting arm	4

Zakład Remontowo-Montażowy Maszyn i Urządzeń Przemysłu Spożywczego













mgr inż. Ireneusz STAWIANY

PL 83-000 Pruszcz Gdański, ul. Gdyńska 5

tel./fax: 0-048 58 682-15-75,



kuba@stawiany.pl
www.stawiany.pl

Standard		Universal clamps	4
Standard		Accessories Trolley and Tools(tools in the following list)	1
	Tools Name	Tools Picture	Tools Quality
	Chains 1.2m		2units
	Small Clamp		1unit
	Mini Clamp		1unit
	Wide Clamp		1unit
	C-Clamp		1unit
	Many-Way Clamp		1unit
	Splint with chain		1unit
	Many-Way Clamp		1unit
	Big Hoop		1 unit
	Deep Hoop		1 unit

Zakład Remontowo-Montażowy Maszyn i Urządzeń Przemysłu Spożywczego







mgr inż. Ireneusz STAWIANY

PL 83-000 Pruszcz Gdański, ul. Gdyńska 5

tel./fax: 0-048 58 682-15-75,



kuba@stawiany.pl
www.stawiany.pl

	Chains shortener		1 unit
	Multiaperture Pull Plate		1 unit
	Nylon Sling		1 unit
	Wire Cable		1 unit
	Knuckle Buster		1 unit
	Double Chain Hook		1 unit
Bench300		List as above, so one unit standard auto body collision repair Bench-300	.00/ unit

The main technical specification

Length	3350MM
Width	890MM
Height	120-1700MM
Pulling capacity	95KN
Air supply erquied	0.8MPA
Radius of pulling	360°
Max. load	3000KG
TOTAL WEIGHT	1500KG

Zakład Remontowo-Montażowy Maszyn i Urządzeń Przemysłu Spożywczego

mgr inż. Ireneusz STAWIANY

PL 83-000 Pruszcz Gdański, ul. Gdyńska 5

tel./fax: 0-048 58 682-15-75,



kuba@stawiany.pl
www.stawiany.pl

FEATURES

- Install on floor surface, full rise scissor lifting structure.
- Electro-hydraulic drive lifting and lowering.
- 120mm drive-on height, very easy to load on vehicle and save space.
- Automatic rotating pulling column with 180° pulling direction, it is very convenient to operate.
- Pulling tower can be fitted on any point around the frame.
- Several pulling tower can be used simultaneously.
- Max. lifting height 1700mm, can be used as auto scissor lift.